MEC : 15.00	FILED NO. 3363
RMF. \$ 1.00	BOOK_43_ PAGE 472
COMPUTER	96 JUN -3 AHTH: 00
RECORDED	MICHELLE UTSLER
IA 50801	RECORDER SECONDER

Edward M. Fletcher
Authorized Residency Representative

701 E. Taylor, Creston, IA 50801

ENTER PREPARER'S NAME ADDRESS AND TELEPHONE NUMBER ON BLANK LINES ABOVE. LEAVE REMAINING TOP PORTION BLANK FOR COUNTY RECORDER'S USE

lowa Department of Transportation

MAINTENANCE DIVISION

ENTRANCE PERMIT

(Application for Permit to Construct Entrance from Private Property

To Primary Pond of Primary Bond of Estancial)

Permit Number 61-96-01

County Madison

Project FN-169-3(17)--21-61

Highway Number U.S. 169

	Project FN-169-3(17)21-61
(Application for Permit to Construct Entrance from Private Property	Highway Number U.S. 169
to Primary Road or Primary Road Extension)	rigilway Mulliber
Word of Life Chainting Coutes and Dat City	
Applicant Word of Life Christian Center and Bob Gibson (Owner or Owners of Record)	
(515-462-4405
	(Telephone No.)
Address Highway 169 South, P.O. Box 216, Winterset, IA	50273
	(Date)
A permit is hereby requested to construct a (X Joint or Single) (Type	A. Type B or KT Type C) entrance her
9.1 meters for 30 feet is with the state of	The second secon
9.1 meters (or 30 feet) in width, from right of way line to primary road tra	aveled way, including necessary drainage structu
thereunder at station 420+20 (E) (side. The entrance shall be constructed wi
3.0meter (or10 feet) radius returns or tapers.	
EXHIBIT OF ENTRANCE AS PROPOSED TO BE CONSTRU	
TO AND IS A PART OF THIS APPLICATION. (F	orm 640002)
Proposed entrance is located on Primary Road No. 169 Sec. 26 T. 75N	R. 28W Madison
County, 4.0 Miles South from W	interset
described as follows:	(Place, Town, or Object)
approximately 441 feet south of the north se	ction line of Section 26-75-20
The second secon	CETON TIME OF SECTION 20-75-28.
***************************************	***************************************
We, the undersigned, are the owner, or owners, of record, or the legal and duly authoric	zed representative of the owner, of the proper
- IVIEW - VOICE WEST	adala a a a a a a a a a a a a a a a a a
- 1 Transportation narmiess of any damage of losees that m	an ha avereined by a
This agreement, Failure to comply-with con-	ditions and requirements of this agreement sha
and this agreement and request null and void.	Op:
A LIVE	Gibm
Signature	Address
Charles F. Moran Bob Gibson	1
Type or Print Name	
ACKNOWLEDGEMENT	
county of Madison	
isothy or	
on this 28 day of April 96 before me M	ereca Selan
Notary Public in and fog said State of	
restary reducting and top said State of	The shor
ord Dan Williams appeared	Charles Moras
nd Selection for the known to	Charles Maras be the person(s), named in and who execute the
nd Sale Miles	Charles Maras be the person(s), named in and who execute the
nd Selection personally appeared to be known to	Charles Moral be the person(s), named in and who execute the
nd Selection personally appeared to be known to	Charles Moral be the person(s), named in and who execute the
regoing instrument, and to be known to be	be the person(s), named in and who execute the ct and deed. Coa July Notary Public in and for said State
regoing instrument, and to be known to be	be the person(s), named in and who execute the ct and deed. Coa July Notary Public in and for said State
Reviewed and Recommend following action APPROVE DENY Densitially appeared to be known to to b	be the person(s), named in and who execute the ct and deed. Coa July Notary Public in and for said State
Reviewed and Recommend following action APPROVE DENY Densitivity appeared to be known to to b	be the person(s), named in and who execute the ct and deed. CLO State Notary Public in and for said State n: DENY Texture 130 Kg
Reviewed and Recommend following action APPROVE DENY Department of Transportation Actions Department of Transportation Actions	be the person(s), named in and who execute the ct and deed. CLO State Notary Public in and for said State n: DENY Texture 130 Kg
Reviewed and Recommend following action APPROVE DENY Department of Transportation Action: APPLICATION APPROVED	be the person(s), named in and who execute the ct and deed. Notary Public in and for said State DENY Coning Official Date
Reviewed and Recommend following action APPROVE DENY Department of Transportation Action: APPLICATION APPROVED To be known to to be know	be the person(s), named in and who execute the ct and deed. Notary Public in and for said State DENY Coning Official Date
Reviewed and Recommend following action APPROVE DENY Department of Transportation Action: APPLICATION APPROVED To be known to to be know	be the person(s), named in and who execute the ct and deed. Notary Public in and for said State DENY Coning Official Date
Reviewed and Recommend following action APPROVE Department of Transportation Action: APPLICATION APPROVE APPLICATION APPROVE Dehalf of the Department of Transportation, Maintenance Division, the above action day of	be the person(s), named in and who execute the ct and deed. Notary Public in and for said State DENY Coning Official Date
Reviewed and Recommend following action APPROVE Uthorized City or Town Official Department of Transportation Action: APPLICATION APPROVE Department of the Department of Transportation, Maintenance Division, the above action day of	be the person(s), named in and who execute the ct and deed. Notary Public in and for said State DENY Coning Official Date
Reviewed and Recommend following action APPROVE Uthorized City or Town Official Department of Transportation Action: APPLICATION APPROVE Authorized Transportation Center Representative Authorized Transportation Center Representative	be the person(s), named in and who execute the ct and deed. Notary Public in and for said State Notary Public in and for said State DENY Coning Official N DENIED has been taken on this application on this
Reviewed and Recommend following action APPROVE DENY Department of Transportation Action: APPLICATION APPROVE APPLICATION APPROVE Application, Maintenance Division, the above action day of Authorized Transportation Center Representative Authorized Transportation Center Representative Authorized Transportation Center Representative Authorized Transportation Start date is to be given by the applicant 48 hours in advantaged and applicant 48 hours in advantaged contents and applicantaged contents and applicantaged contents and applicantaged contents and applican	be the person(s), named in and who execute the ct and deed. Notary Public in and for said State Notary Public in and for said State DENY Coning Official Date N DENIED has been taken on this application on this
Reviewed and Recommend following action APPROVE Department of Transportation Action: APPLICATION APPROVE AUINOFIZED APPLICATION A	be the person(s), named in and who execute the ct and deed. Notary Public in and for said State n: DENY Zoning Official N DENIED has been taken on this application on this

Disclosure Statement: The information furnished on this form will be used by the Department of Transportation to determine approval or denial of the application. Failure to provide all information will result in denial of the application. Information furnished is public information and copies may be provided to the public upon request.

The applicant agrees that if granted a permit to construct the entrance as requested, the following stipulations shall govern.
1. Words and phrases herein, including acknowledgement hereof, shall be construed as in the singular or plural, and as masculine, feminine
or neuter gender according to the context. 2. Stipulations and requirements contained herein are not intended to waive greater requirement of local zoning ordinances.
 Supulations and requirements contained herein are not interiored to waive greater requirement of local zoning ordinances. Owner's attention is directed to the fact that private property may not be used so as to obstruct or encumber the public highway
right of way, or interfere with the safety, comfort and rights of public highway users.
4. A copy of the approved application shall be available on the job site at all times for examination by the Department officials.
 Subject to the approval of this application and upon completion of the constructing of the entrance in compliance with the terms agreed upon in this document and attachment, no changes in the entrance or its location shall be undertaken without the prior written approval of the Department.
 The owner shall be responsible for all future maintenance costs associated with maintaining the access in a safe state of repair from the outer shoulder of the primary highway to the right of way line.
 a. If a drainage structure is required as a part of the permit application, the Department shall be responsible for maintaining that portion of the drainage structure located within the primary highway rights of way.
b. Nothing in this stipulation, however, shall preclude the Department from entering upon said entrance on highway right of way and performing necessary maintenance for the protection of the highway or highway user.
7. In the future, should this entrance generate sufficient traffic to warrant a need for additional traffic control upon the primary road system, costs for these improvements shall be the responsibility of the owner and shall be constructed in accordance with the Department standards. These may include but would not necessarily be limited to the constructing of turn lanes and/or signalization.
That all provisions herein relating to the construction, repair or maintenance of the entrance shall be binding on all successors of assigns of the owner.
[] · [] · [] · [] · [] · [] · [] · [] ·
 The Owner(s) shall indemnify and save harmless the State of Iowa, its agencies and employees, from any and all causes of action, suits at law or in equity, for losses, damages, claims or demands, and from any and all liability and expense of whatsoever nature, arising out of or in connection with owner's use or occupancy of the public highway.
 If the Owner(s) should fail to comply with any of the conditions and requirements of this agreement, the Department may terminate it, whereupon the owner(s) shall immediately remove any construction undertaken pursuant to this agreement and restore the access(es) previously existing and any rights granted the owner(s) by this agreement shall end.
CONTRACTOR
 Before beginning any work in the highway right of way, it is the responsibility of the owner(s) to:
 Contact utility companies which may be located in the area of the proposed work. Contact should be made by calling lowa One Call at 1-800-292-8989, a minimum of 48 hours in advance of starting construction.
 b. Contact the Department's Representative as noted near the bottom of the front page, a minimum of 48 hours in advance of intention to start construction.
DECONSTRUCTION AND THE LANGE OF THE PARTY OF
30+h Sontombor 96
1. The construction of the entrance shall be completed by the 30th day of September, 19 96
1. The construction of the entrance shall be completed by the 30th day of September, 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes.
 The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of
 The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property
1. The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169 other than that necessary to construct the proposed entrance or as specifically stated herein. 6. In a rural-designed area, to prevent water draining on the pavement or traveled way of the primary highway, the finished surface
1. The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169 other than that necessary to construct the proposed entrance or as specifically stated herein. 6. In a rural-designed area, to prevent water draining on the pavement or traveled way of the primary highway, the finished surface elevation of the entrance over the pipe or place where the pipe would normally be placed shall be 101.6 millimeters
1. The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169 other than that necessary to construct the proposed entrance or as specifically stated herein. 6. In a rural-designed area, to prevent water draining on the pavement or traveled way of the primary highway, the finished surface elevation of the entrance over the pipe or place where the pipe would normally be placed shall be 101.6 millimeters (or 4 inches) lower than the highway shoulder elevation.
1. The construction of the entrance shall be completed by the
1. The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169 other than that necessary to construct the proposed entrance or as specifically stated herein. 6. In a rural-designed area, to prevent water draining on the pavement or traveled way of the primary highway, the finished surface elevation of the entrance over the pipe or place where the pipe would normally be placed shall be 101.6 millimeters (or 4 inches) lower than the highway shoulder elevation.
1. The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road NoUS_169
1. The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road NoUS_169
1. The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169 other than that necessary to construct the proposed entrance or as specifically stated herein. 6. In a rural-designed area, to prevent water draining on the pavement or traveled way of the primary highway, the finished surface elevation of the entrance over the pipe or place where the pipe would normally be placed shall be 101.6 millimeters (or 4 inches) lower than the highway shoulder elevation. a. If required, the culvert pipe under the entrance shall be 457.2 millimeters (or 24 inches) in diameter and 16.45 meters (or 54 feet) in length as shown on the attached sketch and of a quality complying with Sections 2422, 4141, 4145 and 4146 of the Department's Metric Standard and Specifications, Series 1995, or subsequent revision. The pipe shall be installed at the elevation specified by the Department's engineer. In an urban-designed area, where drainage is carried along an existin
1. The construction of the entrance shall be completed by the
1. The construction of the entrance shall be completed by the 30th day of September 19 96 (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. <u>US 169</u> other than that necessary to construct the proposed entrance or as specifically stated herein. 6. In a rural-designed area, to prevent water draining on the pavement or traveted way of the primary highway, the finished surface elevation of the entrance over the pipe or place where the pipe would normally be placed shall be 101.6 millimeters (or 4 inches) lower than the highway shoulder elevation. a. If required, the culvert pipe under the entrance shall be 457.2 millimeters (or 24 inches) in diameter and 16.45 meters (or 54 feet) in length as shown on the attached sketch and of a quality complying with Sections 2422, 4141, 4145 and 4146 of the Department's Metric Standard and Specifications, Series 1995, or subsequent revision. The pipe shall be installed at the elevation specified by the Department's engineer. In an urban-designed area, where drainage is carried along an exist
1. The construction of the entrance shall be completed by the day of September 19 96. (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169
1. The construction of the entrance shall be completed by the day of September 19 96. (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169
1. The construction of the entrance shall be completed by the day of September 19 96. (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169
1. The construction of the entrance shall be completed by the day of September 19 96. (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169
1. The construction of the entrance shall be completed by the day of September 19 96. (The permit is null and void if entrance is not completed by the above unless extension is granted in writing by the Department.) 2. Unless specifically noted in this application, all work performed within the right of way shall be restricted to a time frame of 30 minutes after sunrise to 30 minutes before sunset. 3. The access, including drainage structure, grading and surfacing and entrance configuration shall be constructed by the owner at the owner's expense, in accordance with the exhibit and attachments hereto, and in conformity with the standard specifications of the Department of Transportation. 4. That the construction, future repair or maintenance of said entrance shall be carried on in such a way as not to interfere with, or interrupt traffic on said highway, and the owner shall take all reasonable precautions to protect and safeguard the lives and property of any person or persons, on account of such construction, repair or maintenance operation. 5. That no filling will be permitted in the right of way of primary road No. US 169

MISC RECORD 43

